









**Contact Arizona 811 two working days before you dig!
It's free. It's easy. It's the law.**

Uniform Color Code for Marking Underground Facilities

	Proposed Excavation
	Temporary Survey
	Electric Power
	Gas, Oil, Dangerous Materials, Products Lines
	Communications, Cable TV, Fiber Optics (w/F)
	Water Systems, Slurry Pipelines
	Reclaimed Water
	Sanitary Sewer Systems

**Create tickets for digging or
design anytime with E-Stake**



**Know what's below.
Call 811 or click Arizona811.com
before you dig.**

Learn more at www.Arizona811.com




Tolerance Zone


Hand tools only | Support and protect the facility

$24'' + 24'' + 24'' = 72''$ (6 feet)
of hand digging

$24'' + 24'' = 48''$ (4 feet)
of hand digging



Large pipe or multiple utilities
of known size



Small pipe or cable(s)
of unknown size

(A.R.S. 40-360.21 definitions, #4, Careful and Prudent Manner)

The Tolerance Zone in Arizona includes the width of the facility (if indicated) plus 24" measured from each side of the marked facility. Excavation taking place within this tolerance zone requires that the facility must be carefully exposed with hand tools, and the uncovered facility must be supported and protected at all times during the excavation.

****During excavation involving boring equipment additional rules may apply. Ask affected facility operators for their specific safety requirements.**